

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	169676	(restor\$3 or return) near3 position	US-PGPUB; USPAT	OR	ON	2006/12/01 10:39
L2	1765	l1 with magnet	US-PGPUB; USPAT	OR	ON	2006/12/01 10:39
L3	2	l2 and 345/160.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 10:42
L4	21	l2 and "345"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 10:53
L5	7206	capacitance with current adj flow\$3	US-PGPUB; USPAT	OR	ON	2006/12/01 15:08
L6	0	l5 and 345/160.ccls,	US-PGPUB; USPAT	OR	ON	2006/12/01 10:54
L7	0	l5 and 345/160.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 10:54
L8	386	l5 and "345"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 10:55
L9	8	l5 and "345"/156-169.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 14:40
L10	41490	electrode with current adj flow\$3	US-PGPUB; USPAT	OR	ON	2006/12/01 14:28
L11	1957	l10 same capacitance	US-PGPUB; USPAT	OR	ON	2006/12/01 14:24
L12	4	l11 and "345"/156-169.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 14:24
L13	1437	l10 same resistive	US-PGPUB; USPAT	OR	ON	2006/12/01 14:25
L14	2	l13 and "345"/156-169.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 14:26
L15	12629	l10 same resist\$	US-PGPUB; USPAT	OR	ON	2006/12/01 14:25
L16	6081	resistive with current adj flow\$3	US-PGPUB; USPAT	OR	ON	2006/12/01 14:26
L17	10	l16 and "345"/156-169.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 14:57
L18	4	345/160.ccls. and current adj flow\$3	US-PGPUB; USPAT	OR	ON	2006/12/01 14:33
L19	6	"2247938"	EPO; JPO; DERWENT	OR	ON	2006/12/01 14:33
L20	208	345/156.ccls. and current adj flow\$3	US-PGPUB; USPAT	OR	ON	2006/12/01 14:33
L21	0	l19 and current	EPO; JPO; DERWENT	OR	ON	2006/12/01 14:33

## EAST Search History

L22	53	puck and 345/156.ccls.	US-PGPUB; USPAT	OR	OFF	2006/12/01 14:36
L23	4	puck and 345/160.ccls.	US-PGPUB; USPAT	OR	OFF	2006/12/01 15:10
L24	63	puck and 345/157.ccls.	US-PGPUB; USPAT	OR	OFF	2006/12/01 14:42
L25	53	l24 not l22	US-PGPUB; USPAT	OR	OFF	2006/12/01 14:37
L26	17906	capacitance same current adj flow\$3	US-PGPUB; USPAT	OR	ON	2006/12/01 14:41
L27	24	l26 and "345"/156-169.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 14:40
L28	46246	capacitance with current	US-PGPUB; USPAT	OR	ON	2006/12/01 14:45
L29	14	l28 and 345/157,160.ccls.	US-PGPUB; USPAT	OR	OFF	2006/12/01 14:45
L30	176358	capacit\$4 with current	US-PGPUB; USPAT	OR	ON	2006/12/01 14:57
L31	51	l30 and 345/157,160.ccls.	US-PGPUB; USPAT	OR	OFF	2006/12/01 14:45
L32	37	l31 not l28	US-PGPUB; USPAT	OR	OFF	2006/12/01 14:45
L33	18486	capacit\$4 with current with electrode	US-PGPUB; USPAT	OR	ON	2006/12/01 14:57
L34	17	l33 and "345"/156-169.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 15:03
L35	16802	capacit\$4 same current near flow\$3	EPO; JPO; DERWENT	OR	ON	2006/12/01 15:03
L36	1	l35 and puck	EPO; JPO; DERWENT	OR	ON	2006/12/01 15:04
L37	10	l35 and cursor	EPO; JPO; DERWENT	OR	ON	2006/12/01 15:04
L38	975	capacitance with current adj flow\$3	EPO; JPO; DERWENT	OR	ON	2006/12/01 15:05
L39	4453	l5 and (switch or button)	US-PGPUB; USPAT	OR	ON	2006/12/01 15:08
L40	635	l5 with (switch or button)	US-PGPUB; USPAT	OR	ON	2006/12/01 15:08
L41	41	l40 and "345"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 15:08
L42	226	345/160.ccls.	US-PGPUB; USPAT	OR	OFF	2006/12/01 15:11
L43	42	l42 and capacit\$3	US-PGPUB; USPAT	OR	OFF	2006/12/01 15:21

## EAST Search History

L44	45	I42 and capacit\$4	US-PGPUB; USPAT	OR	OFF	2006/12/01 15:18
L45	1	"6184865".PN.	USPAT; USOCR	OR	OFF	2006/12/01 15:17
L46	1	"6160537".PN.	USPAT; USOCR	OR	OFF	2006/12/01 15:17
L47	1	"6115030".PN.	USPAT; USOCR	OR	OFF	2006/12/01 15:17
L48	20	I44 and current	US-PGPUB; USPAT	OR	OFF	2006/12/01 15:18
L49	52	I42 and (resistor or resistive)	US-PGPUB; USPAT	OR	OFF	2006/12/01 15:21
L50	59	I42 and (resistor or resistive)	US-PGPUB; USPAT	OR	ON	2006/12/01 15:21
L51	26	I50 and current	US-PGPUB; USPAT	OR	ON	2006/12/01 15:26
L52	75290	(resistor or resistive) same current adj flow\$3	US-PGPUB; USPAT	OR	ON	2006/12/01 15:27
L53	2	I52 and 345/160.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 15:28
L54	22	I52 and 345/157.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 15:28

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	52573	(resistive or resistor) with current adj flow\$3	US-PGPUB; USPAT	OR	ON	2006/12/01 16:46
L2	1	I1 and 345/160.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 16:32
L3	75290	(resistive or resistor) same current adj flow\$3	US-PGPUB; USPAT	OR	ON	2006/12/01 16:32
L4	2	I3 and 345/160.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 16:34
L5	22	I3 and 345/157.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 16:42
L6	50	I3 and 345/156.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 16:42
L7	45	I6 not I5	US-PGPUB; USPAT	OR	ON	2006/12/01 16:42
L8	59	(resistive or resistor) and 345/160.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 16:48
L9	26	I8 and current	US-PGPUB; USPAT	OR	ON	2006/12/01 16:48
L10	2	I8 and current adj flow\$3	US-PGPUB; USPAT	OR	ON	2006/12/01 16:48
L11	2594	(resistive or resistor) and 345/156-174.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 16:49
L12	158	(resistive or resistor) with current adj flow\$3 and 345/161-174.ccls.	US-PGPUB; USPAT	OR	ON	2006/12/01 16:49
L13	147	I12 not I6	US-PGPUB; USPAT	OR	ON	2006/12/01 16:49
L14	143	I13 not I5	US-PGPUB; USPAT	OR	ON	2006/12/01 16:50